

Material Safety Data Sheet Rub Off / Wash Off for Leather

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Rub Off / Wash Off for Leather

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company Name: Buffalo Leather Repair & Care Ltd

Unit 2c Hillthorpe Farm

Knott Lane Little Hoole Preston PR4 4TB

Tel: 01772 611449

Email: contact@buffaloleather.co.uk

1.4 Emergency Telephone Number

Emergency tel: 01772 611449

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification under CHIP: -: R10; -: R67

Classification under CLP: Flam . Liq. 1: H224; STOT SE 3: H336

Most important adverse effects: Flammable. Vapours may cause drowsiness and dizziness.

2.2 Label elements

Label elements under CLP:

Hazard statements: H224: Extremely flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

Signal words: Danger

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark





Precautionary statements:

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303, P361 + P353: IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove person to fresh air & keep comfortable for breathing.

P312: Call a POISON CENTRE/doctor/...if you feel unwell.

P370 + P378: In case of fire: Use to extinguish.

Label elements under CHIP:

Hazard symbols: Highly flammable.



Risk Phrases: R10: Flammable.

R67: Vapours may cause drowsiness or dizziness.

Safety Phrases: S2: Keep out of the reach of children.

2.3 Other Hazards

Other hazards: In use, may form flammable/explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients.

3.1 Substances

Chemical identity:

1-METHOXY-2-PROPANOL

Section 4: First aid measures

4.1 Description of first aid measures.

Skin contact: Remove all contaminated footwear and clothing immediately, unless

stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Rinse immediately with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

4.2 Most important symptoms and affects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be redness and irritation. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: N/A

Section 5: Fire-fighting measures

5.1 Extinguishing media

Extinguishing media: Dry chemical powder. Alcohol resistant foam. Water spray. Carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Exposure hazards: Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

5.3 Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of MSDS for personal protection details. Notify the police and fire brigade immediately. Eliminate all sources of ignition. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2 Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain any spillage using bunding.

6.3 Methods and material for containment and cleaning up

Clean up: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by the appropriate method. Do not use equipment that may cause sparks.

6.4 Reference to other sections

Refer to section 8

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation in the area. Avoid the formation or spread of mists in the air. Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

7.3 Specific end use(s)

No data available.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Hazardous ingredients: 1-METHOXY-2-PROPANOL

Workplace exposure limits:

Respirable dust

State	8 Hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	375 mg/m3	560 mg/m3	-	-

DNEL / PNEC:No data available

8.2 Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and

electrical equipment are not a source of ignition.

Skin protection: Protective clothing.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Hand protection: Protective gloves.

Respiratory protection: Not required.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State: Liquid

Odour: Characteristic odour

Colour: Colourless
Viscosity: Non-viscous

Flash point °C: 21 - 23 Relative density: 0.92

VOC g/l: 921

9.2 Other information

None available

Section 10: Stability and reactivity

10.1 Reactivity

Stable under recommended transport/storage conditions.

10.2 Chemical stability

Stable under normal conditions and room temperature.

10.3 Possibility of hazardous reactions

Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Avoid heat, hot surfaces, sources of ignition and flames.

10.5 Incompatible materials

Avoid strong oxidising agents.

Strong acids. Strong oxidising agents.

10.6 Hazardous decomposition products

In combustion emits toxic fumes.

Section 11: Toxicological information

11.1 Information on toxicological effects

Hazardous ingredients:

1-METHOXY-2-PROPANOL

INTRAVENOUS	RAT	LD50	4200	mg/kg
ORAL	MOUSE	LD50	11700	mg/kg
ORAL	RAT	LDL0	3739	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
STOT-single exposure	-	Hazardous: calculated

Symptoms/routes of exposure

Inhalation: No symptoms.

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be redness and irritation. **Ingestion:** There may be irritation of the throat.

Section 12: Ecological information

12.1 Toxicity

Ecotoxicity values: No data available.

12.2 Persistence and degradability

Biodegradable

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Negligible ecotoxicity

Section 13: Disposal considerations

13.1 Waste treatment methods

Disposal operations: Transfer to a suitable, labelled container and arrange for collection by a specialised disposal company. The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1 UN number

UN number: UN1263

14.2 UN Proper Shipping Name

Shipping Name: Paint

14.3 Transport hazard class/classes

Transport Class: 3

14.4 Packing group

Packing group:

14.5 Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6 Special precautions for user

Special precautions: No special precautions

Tunnel Code: D/E
Transport category: 1

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture

15.2 Chemical Safety Assessment

Section 16: Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the safety data sheet that has changed since the last revision.

Phrases used in s.2 and s.3:

H224: Extremely flammable liquid and vapour

H336: May cause drowsiness or dizziness

R10: Flammable

R67: Vapours may cause drowsiness and dizziness

Abbreviations:

PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

LDL0 = lethal dose low

EC50 = median effective concentration

IC50 = median inhibitory concentration

Legal disclaimer:

This above data is believed to be correct, based on our present knowledge. However, it does not purport to be all inclusive, shall not constitute a guarantee for any specific product feature and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

This safety sheet is prepared in accordance with Commission Regulation (EU) No. 435/2010.